VISCOT MEDICAL, LLC™

Vismark™ Residue-Free Obstetrics Label Examples

(based on the latest JCAHO requirements as of January 2006)

t 800 221 0658
t 973 887 9273
f 973 887 3961
www.viscot.com

Normal Saline 0.9% Amt_____ Exp_____	Amt_____ Exp_____
Normal Saline 0.9% Amt_____ Exp_____	Amt_____ Exp_____
Sterile Water Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____

Normal Saline 0.9% Amt_____ Exp_____	Amt_____ Exp_____
Normal Saline 0.9% Amt_____ Exp_____	Amt_____ Exp_____
Sterile Water Amt_____ Exp_____	Amt_____ Exp_____
Mepivacaine Plain 1% Amt_____ Exp_____	Amt_____ Exp_____
Mepivacaine Plain 1% Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____
Amt_____ Exp_____	Amt_____ Exp_____